



Chapter Twenty: Earthquakes and Volcanoes

- **20.1 Earthquakes**
- **20.2 Volcanoes**
- **20.3 Igneous Rocks**



20.2 Learning Goals

- Identify locations where volcanoes are most likely to form.
- Explain the factors involved in volcanic eruptions.
- Evaluate the features of different types of volcanoes.

Investigation 20B

Volcanoes

- **Key Question:**
How are volcanoes and plate boundaries related?

Table 1: Examples of volcanoes and VEI ratings

VEI	Plume height	Volume (m ³)	Average time interval between eruptions	Example
0	<100 m	≥ 1000	one day	Kilauea
1	100-1000 m	≥ 10,000	one day	Stromboli
2	1-5 km	≥ 1,000,000	one week	Galeras, 1992
3	3-15 km	≥ 10,000,000	one year	Ruiz, 1985
4	10-25 km	≥ 100,000,000	≥ 10 years	Galunggung, 1982
5	> 25 km	≥ 1,000,000,000	≥ 100 years	Mount St. Helens, 1981
6	> 25 km	≥ 10,000,000,000	≥ 100 years	Krakatoa, 1883
7	> 25 km	≥ 100,000,000,000	≥ 1,000 years	Tambora, 1815
8	> 25 km	≥ 1,000,000,000,000	≥ 10,000 years	Toba, 71,000 years ago

20.2 Where you find volcanoes

- A volcano is a site where melted rock and other materials from Earth's mantle are released.
- Mount St. Helens is a type of volcano called a composite volcano (also known as a stratovolcano).




Photo courtesy of USGS

20.2 Where you find volcanoes

- About half of the active surface volcanoes on Earth occur along the shores of the Pacific Ocean.
- This region is called the “Ring of Fire.”

What is the Ring of Fire?





20.2 Where you find volcanoes

- **The Ring of Fire is found where the oceanic crust of the Pacific Plate is subducting under nearby plates.**
- **Most volcanoes are located along plate boundaries.**
- **Volcanoes, like those in Hawaii are also present along divergent boundaries and within plates.**

Ring of Fire






20.2 What is a volcano?

- During an eruption, melted rock called magma leaves the magma chamber and moves up the conduit. The magma leaves the conduit at the vent.
- Magma is called lava after it leaves the vent.

Parts of a Volcano






20.2 The life of a volcano

- **An active volcano is the most vigorous kind of volcano.**
- **Active volcanoes are erupting or have erupted recently, and are expected to erupt again in the near future.**
- **A dormant volcano is a quiet volcano.**
- **Dormant volcanoes are not active now, but may become active again in the future.**

20.2 The life of a volcano


- **Devil's Tower and Ship Rock are examples of extinct volcanic "necks."**



As the volcano erodes, a core of solid magma gets exposed by erosion.



20.2 What makes magma?




- There are two ways to make rock melt.
- One way is to reduce the pressure.



20.2 What makes magma?

- The other way is to mix water with the hot rock.
- The conditions needed to melt rock are very special and exist inside our planet.






20.2 Volcanoes vary


- The shapes of volcanoes depend on the composition of the magma that formed them.
- Volcanoes can look like wide, flat mounds (shield volcanoes), like tall cones (composite volcanoes), or like a heap of rock bits (cinder cones).

Types of Volcanoes

Shield Volcanoes



Composite Volcanoes






20.2 Volcanoes vary

- **The quantity of dissolved gases affects how explosive the eruption will be.**

		Low Gas	High Gas
Shield Volcanoes	Low Silica	Runny magma, like ketchup Quiet eruption, lava flows easily	Runny magma, bubbly Fire fountain, lava flows easily
Composite Volcanoes	High Silica	Thick, sticky magma, like taffy Quiet eruption	Thick, sticky magma Explosive eruption




20.2 Volcanoes at divergent boundaries



- **Mid-ocean ridges occur underwater at diverging plate boundaries.**
- **When lava oozes out at a mid-ocean ridge, it immediately hits cold seawater, forming a crust.**

Can you name an oceanic ridge formed at diverging plates?


Volcanoes at Mid-Ocean Ridges





20.2 Volcanoes at divergent boundaries

- On land, basaltic lava flows like spilled syrup.
- Underwater, oozing lava hits cold and air fills a solid lava sk seawater in like a balloon.
- When geologists find pillow lava on land, they know that there was once a midocean ridge nearby.



20.2 Volcanoes at divergent boundaries


- Iceland is separating along the Mid-Atlantic Ridge.
- Similarly, Ethiopia is the site of the East African Rift zone.



Due to the separation of plates at these locations, each is intensely volcanic.



20.2 Volcanic islands chains and mantle plumes



- Volcanic islands form when mantle plumes bring material from deep within the lower mantle under an ocean.
- The top of an active mantle plume is called a hot spot.




20.2 Volcanic chains

1. As the plate moves, it carries the volcanic island away from the active hot spot.
2. Without the hot spot to supply magma, the volcano becomes extinct.
3. The hot spot begins to form a new volcano beside the old one.
4. The result is a volcanic island chain.



Volcanic Islands






20.2 Shield and composite volcanoes

- **Low silica magma produces a shield volcano.**





20.2 Shield and composite volcanoes



- Because low-silica, basaltic magma is runny, it can't build up a tall, cone-shaped volcano.



12.2 Volcanoes with low silica magma

- When low silica magma has high levels of dissolved gas, gas bubbles out as it reaches the volcano vent.
- The effect is identical to shaking a soda bottle to produce a shower of soda.



High-gas magma produces a spectacular fire fountain.



20.2 Shield and composite volcanoes


Composite Volcano



- A tall cone, or composite volcano is a tall cone formed by layers of lava and ash.



20.2 Silica rich magma



- During the upward migration, minerals in magma begin to crystallize.
- As the minerals crystallize, the silica increases in concentration.



20.2 Silica rich magma

- Compare and contrast shield and composite volcanoes using the data below:

	Shield volcanoes	Composite volcanoes
Volcano shape	Flattened, gradual slopes	Tall, steep slopes
Silica concentration	Silica poor	Silica rich
Magma source	Mantle	Mantle (and melted subducted ocean crust and sediment)
Distance from magma source to volcano on Earth's surface	Short	Long



20.2 Dissolved gas and cinder cones

- If silica-rich magma contains high levels of dissolved gas, pressure usually builds inside a volcano.






20.2 Dissolved gas and cinder cones

- The lava bits filled with gas bubbles break apart as the dissolved gas expands.
- The gas-filled fragments cool to produce pumice and ash.

Pumice



Volcanic Ash





20.2 Cinder cones

- A cinder cone, a third type of volcano, is not the result of flowing lava.
- Imagine a volcano that ejects a lot of gas with only small bits of lava.

